

TOP ACCESS FLOOR TRAP SYSTEM



LUXURIOUSGRATINGS & COLLARS











Quality without Compromise Elegant Gratings with Trap System

Top Access Floor trap System

S3 Model




Flow rate: 80 litres / minute

*Sirim requirement: 48 litres / minute

Dimensions of

S3 model Top Access Floor Trap System 4" Pipe Sleeve





Benefits of S3 Trap system:

- Prevents foul smell and insects from entering the house
- ✓ Top cleaning / access
- ✓ Higher False Ceiling, space saving
- 75mm opening for rodding purpose
- Can connect air conditioner / washing machine drain pipe to the trap body (pipe sleeve).
 It comes with built in sockets for the purpose
- 20 years warranty for EPDM rubber sealing mechanism

Trap System Product Code

Trap Insert	Trap Body	Outlet
S3-TIL (Locking)	C20 / 40 (C20 / 40)))))))))))))))))))))))))))))))	S3-LOL4X3

Web / Round / Fish / Blank



4" Web-1

Rlastic Grating S1-GP-W

Standard Plastic Collar S3/SF-CP4-W



4" Web-1 c/w Washing Machine Hose Opening + Plastic Plug

Plastic Grating S1-GP-W-32PP

Standard Plastic Collar S3/SF-CP4-W



6" Web-2

Plastic Grating

Standard Plastic Collar S3/SF-CP-6P

360° Aligning Collar S3/SF-ACP-6P



6" Web-2 c/w Washing Machine Hose Opening + Plastic Plug

Standard Plastic Collar S3/SF-CP-6P

360° Aligning Collar S3/SF-ACP-6P



6" Round-2

Stainless Steel Grating

Stainless Steel Collar S3/SF-CSS-R



6" Round-2 c/w Washing Machine Hose Opening + SS Plug

Stainless Steel Grating GSS-R-32SSP

Stainless Steel Collar S3/SF-CSS-R



6" Fish-2

Stainless Steel Grating GSS-F

Stainless Steel Collar S3/SF-CSS-R



6" Stainless Steel Blank-2 c/w Washing Machine Hose Opening + SS Plug

Stainless Steel Grating GSS-B-32SSP

Standard Plastic Collar S3/SF-CP-6SS-G (Grey) S3/SF-CP-6SS-W (White)

360° Aligning Collar S3/SF-ACP-6SS-G (Grey) S3/SF-ACP-6SS-W (White)



6" Plastic Blank-2



Standard Plastic Collar S3/SF-CP-6P

360° Aligning Collar S3/SF-ACP-6P

Tile Tray



6" Stainless Steel Tile Tray & Collar

- Stainless Steel Tile Tray
 TSS-TT6
- Standard Plastic Collar with SS Lining S3/SF-CPSSL-TT-G (Grey) S3/SF-CPSSL-TT-W (White)
- 360° Aligning Collar S3/SF-ACPSSL-TT-G (Grey) S3/SF-ACPSSL-TT-W (White)



6" Stainless Steel Tile Tray with Plastic Collar

- Stainless Steel Tile Tray
 TSS-TT6
- Standard Plastic Collar S3/SF-CP-TT-G (Grey) S3/SF-CP-TT-W (White)
- 360° Aligning Collar S3/SF-ACP-TT-G (Grey) S3/SF-ACP-TT-W (White)



6" Plastic Tile Tray & Collar White

- Plastic Tile Tray
 TP-TT6-W
- Standard Plastic Collar S3/SF-CP-TT-W
- **360° Aligning Collar** S3/SF-ACP-TT-W



6" Plastic Tile Tray & Collar Grey



4" Stainless Steel Tile Tray & Collar



4" Plastic Tile Tray & Collar White

- Plastic Tile Tray
- Standard Plastic Collar S3/SF-CP-TT-G
- 360° Aligning Collar S3/SF-ACP-TT-G

- Stainless Steel Tile Tray
 TSS-TT4
- Standard Plastic Collar with SS Lining S3/SF-CPSSL-TT4-G (Grey) S3/SF-CPSSL-TT4-W (White)



Standard Plastic Collar S3/SF-CP-TT4-W



4" Plastic Tile Tray & Collar Grey

- Plastic Tile Tray
- Standard Plastic Collar S3/SF-CP-TT4-G

Maze / Planar



6" Maze-2

- Stainless Steel Grating
 GSS-M
- Stainless Steel Collar S3/SF-CSS-S




6" Maze-2 c/w Washing Machine Hose Opening + SS Plug

- Stainless Steel Grating GSS-M-32SSP
- Stainless Steel Collar S3/SF-CSS-S



6" Maze-2 White

- Plastic Grating
 GP-M-W
- Standard Plastic Collar S3/SF-CP-M1-W
- 360° Aligning Collar S3/SF-ACP(SSL)-TT-W



6" Maze-2 Grey

- Plastic Grating
 GP-M-G
- Standard Plastic Collar S3/SF-CP-M1-G
- 360° Aligning Collar S3/SF-ACP(SSL)-TT-G



6" Planar Short-2

- Stainless Steel Grating GSS-PS
- Standard Plastic Collar S3/SF-CP(SSL)-TT-G (Grey) S3/SF-CP(SSL)-TT-W (White)
- 360° Aligning Collar S3/SF-ACP(SSL)-TT-G (Grey) S3/SF-ACP(SSL)-TT-W (White)



6" Planar Short-2 c/w Washing Machine Hose Opening + SS Plug

- Stainless Steel Grating
 GSS-PS-32SSP
- Standard Plastic Collar S3/SF-CP(SSL)-TT-G (Grey) S3/SF-CP(SSL)-TT-W (White)
- 360° Aligning Collar S3/SF-ACP(SSL)-TT-G (Grey) S3/SF-ACP(SSL)-TT-W (White)



6" Planar Tall-2

- Stainless Steel Grating
 GSS-PT
- Standard Plastic Collar with SS Lining S3/SF-CPSSL-TT-G (Grey) S3/SF-CPSSL-TT-W (White)
- 360° Aligning Collar S3/SF-ACPSSL-TT-G (Grey) S3/SF-ACPSSL-TT-W (White)



6" Planar Tall-2 c/w Washing Machine Hose Opening + SS Plug

- Stainless Steel Grating
 GSS-PT-32SSP
- Standard Plastic Collar with SS Lining S3/SF-CPSSL-TT-G (Grey) S3/SF-CPSSL-TT-W (White)
- 360° Aligning Collar S3/SF-ACPSSL-TT-G (Grey) S3/SF-ACPSSL-TT-W (White)

Daisy



6" Daisy Square-2

- Stainless Steel Grating GSS-DS
- Standard Plastic Collar S3/SF-CP-6SS-G (Grey) S3/SF-CP-6SS-W (White)
- 360° Aligning Collar S3/SF-ACP-6SS-G (Grey) S3/SF-ACP-6SS-W (White)



6" Daisy Square-2 c/w Washing Machine Hose Opening + SS Plug

- Stainless Steel Grating GSS-DS-32SSP
- Standard Plastic Collar S3/SF-CP-6SS-G (Grey) S3/SF-CP-6SS-W (White)
- 360° Aligning Collar S3/SF-ACP-6SS-G (Grey) S3/SF-ACP-6SS-W (White)



6" Daisy Square-2 Anti-Theft

- Stainless Steel Grating
 GSS-DS-AT
- Standard Plastic Collar S3/SF-CP-6SS-G (Grey) S3/SF-CP-6SS-W (White)
- 360° Aligning Collar S3/SF-ACP-6SS-G (Grey) S3/SF-ACP-6SS-W (White)



6" Daisy Square-4

- Stainless Steel Grating
- Stainless Steel Collar S3/SF-CSS-S



6" Daisy Square-4 c/w Washing Machine Hose Opening + SS Plug

- Stainless Steel Grating GSS-DS4-32SSP
- Stainless Steel Collar S3/SF-CSS-S



6" Daisy Square-4 Anti-Theft

- Stainless Steel Grating
 GSS-DS4-AT
- Stainless Steel Collar S3/SF-CSS-S-AT



6" Daisy Square-3

- Stainless Steel Grating GSS-DS3
- Standard Plastic Collar with SS Lining S3/SF-CPSSL-G (Grey) S3/SF-CPSSL-W (White)
- 360° Aligning Collar S3/SF-ACPSSL-G (Grey) S3/SF-ACPSSL-W (White)



6" Daisy Square-3 c/w Washing Machine Hose Opening + SS Plug

- Stainless Steel Grating
 GSS-DS3-32SSP
- Standard Plastic Collar with SS Lining S3/SF-CPSSL-G (Grey) S3/SF-CPSSL-W (White)
- 360° Aligning Collar S3/SF-ACPSSL-G (Grey) S3/SF-ACPSSL-W (White)



6" Daisy Round-2

- Stainless Steel Grating GSS-DR
- Stainless Steel Collar S3/SF-CSS-R

Daisy



6" Daisy Round-2 c/w Washing Machine Hose Opening + SS Plug

- Stainless Steel Grating GSS-DR-32SSP
- Stainless Steel Collar S3/SF-CSS-R



4" Daisy-1

- Stainless Steel Grating S1-GSS-D
- Standard Plastic Collar S3/SF-CP4-G (Grey) S3/SF-CP4-W (White)



4" Daisy-1 c/w Washing Machine Hose Opening + SS Plug

- Stainless Steel Grating S1-GSS-D-32SSP
- Standard Plastic Collar S3/SF-CP4-G (Grey) S3/SF-CP4-W (White)



4" Daisy-1 Anti-Theft

- Stainless Steel Grating S1-GSS-D-AT
- Standard Plastic Collar S3/SF-CP4-G (Grey) S3/SF-CP4-W (White)

Venus



6" Venus Square-2



Standard Plastic Collar S3/SF-CP-6SS-G (Grey) S3/SF-CP-6SS-W (White)

360° Aligning Collar S3/SF-ACP-6SS-G (Grey) S3/SF-ACP-6SS-W (White)



6" Venus Square-2 c/w Washing Machine Hose Opening + SS Plug


Stainless Steel Grating
GSS-VS-32SSP

Standard Plastic Collar S3/SF-CP-6SS-G (Grey) S3/SF-CP-6SS-W (White)

360° Aligning Collar S3/SF-ACP-6SS-G (Grey) S3/SF-ACP-6SS-W (White)



6" Venus Square-2 Anti-Theft



Standard Plastic Collar S3/SF-CP-6SS-G (Grey) S3/SF-CP-6SS-W (White)

360° Aligning Collar S3/SF-ACP-6SS-G (Grey) S3/SF-ACP-6SS-W (White)



6" Venus Square-4

Stainless Steel Grating
GSS-VS4

Stainless Steel Collar S3/SF-CSS-S



6" Venus Square-4 c/w Washing Machine Hose Opening + SS Plug

Stainless Steel Grating
GSS-VS4-32SSP

Stainless Steel Collar S3/SF-CSS-S



6" Venus Square-4 Anti-Theft

Stainless Steel Grating
GSS-VS4-AT

Stainless Steel Collar S3/SF-CSS-S-AT



6" Venus Square-3

Stainless Steel Grating
GSS-VS3

Standard Plastic Collar with SS Lining S3/SF-CPSSL-G (Grey) S3/SF-CPSSL-W (White)

360° Aligning Collar S3/SF-ACPSSL-G (Grey) S3/SF-ACPSSL-W (White)



6" Venus Square-3 c/w Washing Machine Hose Opening + SS Plug

Stainless Steel Grating
GSS-VS3-32SSP

Standard Plastic Collar with SS Lining S3/SF-CPSSL-G (Grey) S3/SF-CPSSL-W (White)

360° Aligning Collar S3/SF-ACPSSL-G (Grey) S3/SF-ACPSSL-W (White)



6" Venus Round-2

Stainless Steel Grating
GSS-VR

Stainless Steel Collar S3/SF-CSS-R

Venus



6" Venus Round-2 c/w Washing Machine Hose Opening + SS Plug

Stainless Steel Grating GSS-VR-32SSP

Stainless Steel Collar S3/SF-CSS-R

Bamboo



6" Bamboo-2

- Stainless Steel Grating
 GSS-BB
- Standard Plastic Collar S3/SF-CP-6SS-G (Grey) S3/SF-CP-6SS-W (White)
- 360° Aligning Collar S3/SF-ACP-6SS-G (Grey) S3/SF-ACP-6SS-W (White)



6" Bamboo-2 Anti-Theft

- Stainless Steel Grating
 GSS-BB-AT
- Standard Plastic Collar S3/SF-CP-6SS-G (Grey) S3/SF-CP-6SS-W (White)
- 360° Aligning Collar S3/SF-ACP-6SS-G (Grey) S3/SF-ACP-6SS-W (White)



6" Bamboo-3

- Stainless Steel Grating GSS-BB3
- Standard Plastic Collar with SS Lining S3/SF-CPSSL-G (Grey) S3/SF-CPSSL-W (White)
- 360° Aligning Collar S3/SF-ACPSSL-G (Grey) S3/SF-ACPSSL-W (White)



6" Bamboo-4

- Stainless Steel Grating
 GSS-BB4
- Stainless Steel Collar S3/SF-CSS-S



6" Bamboo-4 Anti-Theft

- Stainless Steel Grating
 GSS-BB4-AT
- Stainless Steel Collar S3/SF-CSS-S-AT

Diamond



6" Diamond Square-2

- Stainless Steel Grating GSS-DMS
- Standard Plastic Collar S3/SF-CP-6SS-G (Grey) S3/SF-CP-6SS-W (White)
- 360° Aligning Collar S3/SF-ACP-6SS-G (Grey) S3/SF-ACP-6SS-W (White)



6" Diamond Square-2 Anti-Theft

- Stainless Steel Grating
 GSS-DMS-AT
- Standard Plastic Collar S3/SF-CP-6SS-G (Grey) S3/SF-CP-6SS-W (White)
- 360° Aligning Collar S3/SF-ACP-6SS-G (Grey) S3/SF-ACP-6SS-W (White)



6" Diamond Square-3

- Stainless Steel Grating GSS-DMS3
- Standard Plastic Collar with SS Lining S3/SF-CPSSL-6SS-G (Grey) S3/SF-CPSSL-6SS-W (White)
- 360° Aligning Collar S3/SF-ACPSSL-G (Grey) S3/SF-ACPSSL-W (White)



6" Diamond Round-2

- Stainless Steel Grating
 GSS-DMR
- Stainless Steel Collar S3/SF-CSS-R



6" Diamond Square-4

- Stainless Steel Grating GSS-DMS4
- Stainless Steel Collar S3/SF-CSS-S




2 1103 / Illett Ney 00 corews included

- 6" Diamond Square-4 Anti-Theft
- Stainless Steel Grating GSS-DMS4-AT
- Stainless Steel Collar S3/SF-CSS-S-AT

Chess



6" Chess Square-2



Standard Plastic Collar S3/SF-CP-6SS-G (Grey) S3/SF-CP-6SS-W (White)

360° Aligning Collar S3/SF-ACP-6SS-G (Grey) S3/SF-ACP-6SS-W (White)



6" Chess Square-2 Anti-Theft



Standard Plastic Collar S3/SF-CP-6SS-G (Grey) S3/SF-CP-6SS-W (White)

360° Aligning Collar S3/SF-ACP-6SS-G (Grey) S3/SF-ACP-6SS-W (White)



6" Chess Square-3



Standard Plastic Collar with SS Lining S3/SF-CPSSL-6SS-G (Grey) S3/SF-CPSSL-6SS-W (White)

360° Aligning Collar S3/SF-ACPSSL-G (Grey) S3/SF-ACPSSL-W (White)



6" Chess Round-2

Stainless Steel Grating
GSS-CHR

Stainless Steel Collar S3/SF-CSS-R



6" Chess Square-4

Stainless Steel Grating
GSS-CHS4

Stainless Steel Collar S3/SF-CSS-S



6" Chess Square-4 Anti-Theft

Stainless Steel Grating
GSS-CHS4-AT

Stainless Steel Collar S3/SF-CSS-S-AT



4" Chess-1

Stainless Steel Grating S1-GSS-C

Standard Plastic Collar S3/SF-CP4-G (Grey) S3/SF-CP4-W (White)



4" Chess-1 Anti-Theft

Stainless Steel Grating S1-GSS-C-AT

Standard Plastic Collar S3/SF-CP4-G (Grey) S3/SF-CP4-W (White)

Chequer



6" Chequer Square-2

- Stainless Steel Grating GSS-CQS
- Standard Plastic Collar S3/SF-CP-6SS-G (Grey) S3/SF-CP-6SS-W (White)
- 360° Aligning Collar S3/SF-ACP-6SS-G (Grey) S3/SF-ACP-6SS-W (White)



6" Chequer Square-2 Anti-Theft

- Stainless Steel Grating
 GSS-CQS-AT
- Standard Plastic Collar S3/SF-CP-6SS-G (Grey) S3/SF-CP-6SS-W (White)
- 360° Aligning Collar S3/SF-ACP-6SS-G (Grey) S3/SF-ACP-6SS-W (White)



6" Chequer Square-3

- Stainless Steel Grating GSS-CQS3
- Standard Plastic Collar with SS Lining S3/SF-CPSSL-6SS-G (Grey) S3/SF-CPSSL-6SS-W (White)
- 360° Aligning Collar S3/SF-ACPSSL-G (Grey) S3/SF-ACPSSL-W (White)



6" Chequer Round-2

- Stainless Steel Grating
 GSS-CQR
- Stainless Steel Collar S3/SF-CSS-R



6" Chequer Square-4

- Stainless Steel Grating
 GSS-CQS4
- Stainless Steel Collar S3/SF-CSS-S



6" Chequer Square-4 Anti-Theft

- Stainless Steel Grating GSS-CQS4-AT
- Stainless Steel Collar S3/SF-CSS-S-AT


Recommended slab thickness 125mm and above.

S3


Installation Method

It is highly recommended to use the black cap cover during installation and concreting.


Step 1: Nail the trap body to form work, connect the drain pipes or air-cond discharge pipes if any.




Step 3: Join bend or tee (with solvent cement) and fix uPVC pipe



Step 2: Remove form work, fix outlet (with solvent cement).




Step 4: Remove black cap (cover), join 4" uPVC pipe to top of the trap body. Water proof and screed.




Screeding 4" uPVC Pipe Water Proofing Floor Slab


Step 5: Place collar and flush with tile work.




Step 6: Place trap insert.



Step 7: Place grating. Installation completed.



Schematic Layout



EPDM Rubber

THE USE OF EPDM RUBBER AS A SEALING MECHANISM

Rubber has proven to be one of the best media for seals in the last 100 years. It has proven to provide an extremely effective and long term seal.

It is highly chemical resistant to acids, alkali's and has excellent weathering properties.

Double fin profile provides superior protection



EPDM rubber seals have been used in pneumatic and hydraulic cylinders (perform very well under high pressures), seals used in water supply and underground sewer pipes (buried in the ground, extremely chemical resistant, even with sewerage), seals in vacuum cleaners and vacuum systems, EPDM is used as diaphragms in the palm oil industry and in thousands of other applications in the industry.





Uses EPDM for its SEAL

this seal comes with a **20 years factory warranty**. You can rest easy, knowing that our traps are foul smell free and provide you with the best sealing mechanism available in the market.

Maximum Service Temperature:

150°C Minimum Service Temperature: -50°C

Mechanical Properties

Tensile strength with reinforcing fillers	very good
Rebound resilience 20°C	good
Rebound resilience 80°C	good
Abrasion resistance	good
Compression set	very good
Hot air resistance	very good
Low temperature flexibility	fair to good
Oxidation resistance	excellent
Resistance to weathering and ozone	excellent
Resistance to hydrolysis	very good
Flame resistance	fair
Flame resistance Resistance to	fair
	fair
Resistance to	
Resistance to petrol	low
Resistance to petrol benzene	low
Resistance to petrol benzene chlorinated hydrocarbons	low low
Resistance to petrol benzene chlorinated hydrocarbons mineral oils and greases	low low low
Resistance to petrol benzene chlorinated hydrocarbons mineral oils and greases alcohol	low low low very good

Technical Data

The flow rating or capacity of a floor drain is determined by several factors:

Size of Waste-line

A horizontal branch waste-line with normal pitch or slope, with a deep seal trap at drain outlet is capable of conveying as follows:

Size	Flow Rate
2 inch (50mm)	10 to 25 GPM
3 inch (75mm)	30 to 75 GPM
4 inch (100mm)	75 to 150 GPM

Traps with sediment buckets, strainers, etc. will reduce maximum flow rating by up to 20%

The table gives general reference when considering overlow of fixtures or sources of water that may be discharged through floor drains.


Fixtures	Flow (GPM)
Wash Basin	5-7
Kitchen Sink	8-10
Bath	6-10
Shower	5-8
Washing Machine	4-6
Dish Washing Machine	4-6

Tests undergone by the SANSICO Floor Trap/Gulley

- Load Test
- Depth of Water Seal
- Resistance of Water Seal to Pressure
- Access for Cleaning
- Anti Blockage
- Temperature Cycling
- Odour Tightness
- Water Tightness of Body
- Flow Rate Test

Summary of S3 system





360° Aligning Collar



Another Innovative product from us.


With the many obvious benefits, advantages and increasing popularity of in-slab floor traps, there is an increasing need to have easy and uninterrupted access to the inside of these traps for maintenance purposes.

Towards this end, Sansico has patented an **ingenious floor trap collar system** that gives unlimited and full access to the floor trap. The opening size is even larger than the trap itself, this provides easy access for maintenance and repair.


The central part of this collar is rotatable and allows for a misalignment up to 20mm (in any direction) in the collar placing, this can sometimes happen during tiling.

Usage of this collar eliminates all problems associated with access to floor traps for maintenance.


A great value item, makes life easier for the end user.




Installation Method



Install collar frame.



Adjust position by using adjustable collar insert.



Push the collar insert into collar frame.

Notes	



Sansico Industries Sdn Bhd (448766-D)

No. 20, Jalan Uranus AK U5/AK, Taman Subang Impian, Seksyen U5, 40150 Shah Alam, Selangor.

Tel : (603) 7859 7299 (Hunting Line)

Fax : (603) 7859 0299

E-mail : enquiry@sansico.com.my Website: www.sansico.com.my